



CEMENTFABRIKEN
SCANDINAVIA

23
24


BLACK LABEL
STONE COLLECTION

PAGE GUIDE SID GUIDE

PAGE EXAMPLE SIDEXEMPEL

Name & Material | Namn & Material

Collection | Kollektion



Design

INVISIBLE GREY

120x120 60x120

PORCELAIN • PORSLIN


STONE COLLECTION

Characteristics | Egenskaper




120x120
8 Designs
60x120
16 Designs

FORMAT



B18 Capraia Polished 120x120 Rect.



B54 Capraia Polished 60x120 Rect.

Pricecode | Priskod
Name | Namn
Finish | Finish
Size | Storlek

Special pieces | Specialbitar



P31 8x60 Skirting romo | Sockelplatta









SYMBOLS | SYMBOLER

TECHNICAL CHARACTERISTICS TEKNISKA EGENSKAPER

-  THICKNESS 2CM
TJOCKLEK 2CM
-  COLORED BODY
FÄRGAD KÄRNA
-  WHITE BODY
VIT KÄRNA
-  PORCELAIN
PORSLIN
-  RECTIFIED
SKÄRPKANTAD
-  DIGITAL TECHNOLOGY
DIGITAL TEKNOLOGI
-  ANTI SLIP
HALKSÄKER
-  ANTI SLIP
HALKSÄKER
-  ANTI SLIP
HALKSÄKER
-  FLOOR & WALL
GOLV & VÄGG (KLINKER)
-  WALL TILE
VÄGG (KAKEL)
-  FLOOR TILE
GOLV (KLINKER)

SURFACE FINISH YT-FINISH


-  POLISHED
POLERAD
-  SHINY
BLANK
-  MATT
MATT
-  SATIN
SATIN
-  METAL
METALL
-  RELIEVE
KAKEL MED STRUKTUR

GRAPHICAL VARIATION GRAFISK VARIATION

-  UNIFORM APPEARANCE
ENHETLIGT UTFÖRANDE
-  SLIGHT VARIATION
SMÅ VARIATIONER
-  MODERATE DEGREE OF VARIATION
MÄTLIG GRAD AV VARIATION
-  HIGH DEGREE OF VARIATION
HÖG GRAD AV VARIATION



WHITE



GREY


AMSTERDAM

120x120 60x120

PORCELAIN • PORSLIN



FORMAT



120x120
8 Designs
60x120
8 Designs



- B76 Amsterdam White Satin 120x120 Rect.
- B76 Amsterdam Grey Satin 120x120 Rect.
- B105 Amsterdam White Grip 120x120 Rect.
- B105 Amsterdam Grey Grip 120x120 Rect.

- B54 Amsterdam White Polished 60x120 Rect.
- B54 Amsterdam Grey Polished 60x120 Rect.
- B84 Amsterdam White Satin 60x120 Rect.
- B84 Amsterdam Grey Satin 60x120 Rect.
- B111 Amsterdam White Grip 60x120 Rect.
- B111 Amsterdam Grey Grip 60x120 Rect.

Special pieces | Specialbitar



P31 8x60 Skirting romo | Sockelplatta



NATURAL

PEARL

ATLANTIDA


90x90 60x120

PORCELAIN • PORSLIN




90x90 | 60x120
8 Designs

FORMAT



■ B70 Atlántida Natural Matt 90x90 Rect.
■ B70 Atlántida Pearl Matt 90x90 Rect.



■ B85 Atlántida Natural Matt 59,5x119,2 Rect.
■ B85 Atlántida Pearl Matt 59,5x119,2 Rect.

Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta
P36 8x90 Skirting romo | Sockelplatta



STONES COLLECTION


NATURAL

PEARL

ATLANTIDA DECOR

60x120

PORCELAIN • PORSLIN




STONES COLLECTION



60x120
8 Designs

FORMAT



B110 Atlántida Natural Decor Matt 59,5x119,2 Rect.
B110 Atlántida Pearl Decor Matt 59,5x119,2 Rect.

WHITE

ASH

TAUPE

ANTHRACITE






AVENUE

75X150 120X120 60X120 60X60 30X60

PORCELAIN • PORSLIN

STONES COLLECTION

FORMAT



75x150

8 Designs

120x120

6 Designs

60x120

12 Designs

60x60

16 Designs

30x60

20 Designs

- B47 Avenue White Matt 120x120 Rect.
- B47 Avenue Ash Matt 120x120 Rect.
- B47 Avenue Taupe Matt 120x120 Rect.
- B47 Avenue Graphite Matt 120x120 Rect.
- B53 Avenue White Grip 120x120 Rect.
- B53 Avenue Ash Grip 120x120 Rect.

- B85 Avenue White Matt 59,5x119,2 Rect.
- B85 Avenue Ash Matt 59,5x119,2 Rect.
- B85 Avenue Taupe Matt 59,5x119,2 Rect.
- B85 Avenue Graphite Matt 59,5x119,2 Rect.

- B25 Avenue White Matt 75x150 Rect.
- B25 Avenue Ash Matt 75x150 Rect.
- B25 Avenue Taupe Matt 75x150 Rect.
- B25 Avenue Graphite Matt 75x150 Rect.

- B27 Avenue White Matt 29,5x59,5 Rect.
- B27 Avenue Ash Matt 29,5x59,5 Rect.
- B27 Avenue Taupe Matt 29,5x59,5 Rect.
- B27 Avenue Graphite Matt 29,5x59,5 Rect.

- B27 Avenue White Matt 29,5x59,5 Rect.
- B27 Avenue Ash Matt 29,5x59,5 Rect.
- B27 Avenue Taupe Matt 29,5x59,5 Rect.
- B27 Avenue Graphite Matt 29,5x59,5 Rect.
- B52 Avenue White Grip 29,5x59,5 Rect.
- B52 Avenue Ash Grip 29,5x59,5 Rect.

Special pieces | Specialbitar



P31 8x59,5 / 8x60 Skirting romo | Sockelplatta
P23 8x75 Skirting romo | Sockelplatta



CAMPASPERO

120x120 60x120 60x60

PORCELAIN • PORSLIN

STONE COLLECTION



FORMAT



120x120



8 Designs

60x120

10 Designs

60x60

20 Designs



- B85 Campaspero Sand Matt 59,5x119,2 Rect.
- B88 Campaspero Sand Grip 59,5x119,2 Rect.
- B110 Campaspero Sand Decor Matt 59,5x119,2 Rect.

- B27 Campaspero Sand Matt 59,5x59,5 Rect.
- B52 Campaspero Sand Grip 59,5x59,5 Rect.


Special pieces | Specialbitar



P31 8x60 / 8x59,5 Skirting romo | Sockelplatta



P129 33x120 Stair step | Trappsteg



- B47 Campaspero Sand Matt 120x120 Rect.
- B53 Campaspero Sand Grip 120x120 Rect.

CAMPASPERO DECOR

30x90

WHITE BODY • VIT KÄRNA

SAND


SAND DECOR

STONE COLLECTION

FORMAT



B69 Campaspero Sand Matt 29,5x90 Rect.



B59 Campaspero Sand Decor Matt 29,5x90 Rect.




30x90

30 Designs

60x60

20 Designs

Matching floor tile | Matchande klinker



B27 Campaspero Sand Matt 59,5x59,5 Rect.

Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta



LIMESTONE

SAND

STEEL

HERMES

120x120 60x120 60x60

PORCELAIN • PORSLIN

STONE COLLECTION




120x120
8 Designs


60x120
10 Designs

60x60
20 Designs

FORMAT



- B85 Hermes Limestone Matt 59,5x119,2 Rect.
- B85 Hermes Steel Matt 59,5x119,2 Rect.
- B85 Hermes Sand Matt 59,5x119,2 Rect.




- B27 Hermes Limestone Matt 59,5x59,5 Rect.
- B27 Hermes Steel Matt 59,5x59,5 Rect.
- B27 Hermes Sand Matt 59,5x59,5 Rect.

Special pieces | Specialbitar



P31 8x60 / 8x59,5 Skirting romo | Sockelplatta



- B47 Hermes Limestone Matt 120x120 Rect.
- B47 Hermes Steel Matt 120x120 Rect.
- B47 Hermes Sand Matt 120x120 Rect.



LIMESTONE

SAND

STEEL

HERMES BRICK

60x120

PORCELAIN • PORSLIN

STONE COLLECTION




120x120
8 Designs

60x120
10 Designs

60x60
20 Designs

FORMAT



- B110 Hermes Limestone Decor Matt 59,5x119,2 Rect.
- B110 Hermes Steel Decor Matt 59,5x119,2 Rect.
- B110 Hermes Sand Decor Matt 59,5x119,2 Rect.

Special pieces | Specialbitar



P31 8x60 / 8x59,5 Skirting romo | Sockelplatta



LIMESTONE

SAND

STEEL

HERMES DECOR

30x90

PORCELAIN • PORSLIN

STONE COLLECTION



30x90
10 Designs
60x60
6 Designs

FORMAT



- B69 Hermes Limestone Matt 29,5x90 Rect.
- B69 Hermes Steel Matt 29,5x90 Rect.
- B69 Hermes Sand Matt 29,5x90 Rect.



- B59 Hermes Limestone Decor Matt 29,5x90 Rect.
- B59 Hermes Steel Decor Matt 29,5x90 Rect.
- B59 Hermes Sand Decor Matt 29,5x90 Rect.


Matching floor tile | Matchande klinker



Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta



B27 Hermes Steel
Matt 59,5x59,5 Rect.



PEARL

GREY

GRAPHITE

KAIROS

60x120 75x75 60x60

PORCELAIN • PORSLIN



60x120 | 75x75
24 Designs
60x60
48 Designs


FORMAT



B85 Kairos Pearl Matt 59,5x119,2 Rect.
B85 Kairos Grey Matt 59,5x119,2 Rect.
B85 Kairos Graphite Matt 59,5x119,2 Rect.



B27 Kairos Pearl Matt 59,5x59,5 Rect.
B27 Kairos Grey Matt 59,5x59,5 Rect.
B27 Kairos Graphite Matt 59,5x59,5 Rect.



B49 Kairos Pearl Matt 75x75 Rect.
B49 Kairos Grey Matt 75x75 Rect.
B49 Kairos Graphite Matt 75x75 Rect.

Special pieces | Specialbitar



P31 8x60 / 8x59,5 Skirting romo | Sockelplatta




STONE COLLECTION



PEARL



GREY



GRAPHITE

KAIROS WAVE

60x120

PORCELAIN • PORSLIN



60x120
24 Designs

FORMAT



- B110 Kairos Pearl Decor Matt 59,5x119,2 Rect.
- B110 Kairos Grey Decor Matt 59,5x119,2 Rect.
- B110 Kairos Graphite Decor Matt 59,5x119,2 Rect.


Special pieces | Specialbitar



P31 8x60 / 8x59,5 Skirting romo | Sockelplatta



STONE COLLECTION



PEARL

GREY

GRAPHITE

KAIROS DECOR

30x90

WHITE BODY • VIT KÄRNA

STONE COLLECTION



30x90
32 Designs
60x60
48 Designs

FORMAT




- B69 Kairos Pearl Matt 29,5x90 Rect.
- B69 Kairos Grey Matt 29,5x90 Rect.
- B69 Kairos Graphite Matt 29,5x90 Rect.



- B59 Kairos Pearl Decor Matt 29,5x90 Rect.
- B59 Kairos Grey Decor Matt 29,5x90 Rect.
- B59 Kairos Graphite Decor Matt 29,5x90 Rect.



Matching floor tile | Matchande klinker



- B27 Kairos Grey Matt 59,5x59,5 Rect.

Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta

WHITE

SAND

GREY

MACAN

120x120 60x120 90x90 60x60 30x60

PORCELAIN • PORSLIN

STONE COLLECTION

FORMAT



120x120 | 60x120 | 90x90


18 Designs

60x60


36 Designs

30x60


72 Designs



- B47 Macan White Matt 120x120 Rect.
- B47 Macan Grey Matt 120x120 Rect.
- B47 Macan Sand Matt 120x120 Rect.
- B53 Macan White Grip 120x120 Rect.
- B53 Macan Grey Grip 120x120 Rect.
- B53 Macan Sand Grip 120x120 Rect.



- B70 Macan White Matt 90x90 Rect.
- B70 Macan Grey Matt 90x90 Rect.
- B70 Macan Sand Matt 90x90 Rect.
- B122 Macan White Grip 90x90 Rect.
- B122 Macan Grey Grip 90x90 Rect.
- B122 Macan Sand Grip 90x90 Rect.



- B27 Macan White Matt 59,5x59,5 Rect.
- B27 Macan Grey Matt 59,5x59,5 Rect.
- B27 Macan Sand Matt 59,5x59,5 Rect.

Special pieces | Specialbitar



P31 6x59,5 Skirting romo | Sockelplatta
P23 8x75 Skirting romo | Sockelplatta



P129 33x120 Stair step | Trappsteg



- B85 Macan White Matt 59,5x119,2 Rect.
- B85 Macan Grey Matt 59,5x119,2 Rect.
- B85 Macan Sand Matt 59,5x119,2 Rect.
- B88 Macan White Grip 59,5x119,2 Rect.
- B88 Macan Grey Grip 59,5x119,2 Rect.
- B88 Macan Sand Grip 59,5x119,2 Rect.



- B27 Macan White Matt 29,5x59,5 Rect.
- B27 Macan Grey Matt 29,5x59,5 Rect.
- B27 Macan Sand Matt 29,5x59,5 Rect.



MAGNUM

30x90

WHITE BODY • VIT KÄRNA

WHITE

WHITE DECOR


STONE COLLECTION




FORMAT



30x90
12 Designs
60x60
16 Designs



B69 Magnum White Matt 29,5x90 Rect.



B59 Magnum White Decor Matt 29,5x90 Rect.


Matching floor tile | Matchande klinker



Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta



B27 Magnum White
Matt 59,5x59,5 Rect



MEMORIES

30x90

PORCELAIN • PORSLIN

STONE COLLECTION



30x90
12 Designs
60x60
16 Designs

FORMAT



- B69 Memories Grey Matt 29,5x90 Rect.
- B69 Memories Sand Matt 29,5x90 Rect.
- B69 Memories Taupe Matt 29,5x90 Rect.



- B59 Memories Grey Decor Matt 29,5x90 Rect.
- B59 Memories Sand Decor Matt 29,5x90 Rect.
- B59 Memories Taupe Decor Matt 29,5x90 Rect.



Matching floor tile | Matchande klinker



Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta



- B27 Memories Grey Matt 59,5x59,5 Rect.
- B27 Memories Sand Matt 59,5x59,5 Rect.
- B27 Memories Taupe Matt 59,5x59,5 Rect.



WHITE



PEARL



GREY

MYSTIC

60x120 75x75 23x27

PORCELAIN • PORSLIN



STONE COLLECTION



60x120

12 Designs


75x75

14 Designs

23x27

24 Designs

FORMAT



- B85 Mystic White Matt 59,5x119,2 Rect.
- B85 Mystic Pearl Matt 59,5x119,2 Rect.
- B85 Mystic Grey Matt 59,5x119,2 Rect.




- B68 Hexa Mystic Pearl Matt 23,2x26,7

Special pieces | Specialbitar



- P31 8x59,5 Skirting romo | Sockelplatta
- P23 8x75 Skirting romo | Sockelplatta



- B29 Mystic White Matt 75x75 Rect.
- B29 Mystic Pearl Matt 75x75 Rect.
- B29 Mystic Grey Matt 75x75 Rect.
- B51 Mystic White Grip 75x75 Rect.
- B51 Mystic Pearl Grip 75x75 Rect.
- B51 Mystic Grey Grip 75x75 Rect.

LIMESTONE

SAND

STEEL

FOSSIL

60x120 120x120

PORCELAIN • PORSLIN

STONE COLLECTION



FORMAT



120x120
9 Designs


60x120
18 Designs

60x60
12 Designs



- B85 Pietra Coral Natural R Matt 59,5x119,2 Rect.
- B85 Pietra Coral Natural Sand R Matt 59,5x119,2 Rect.
- B85 Pietra Coral Natural Pearl R Matt 59,5x119,2 Rect.
- B88 Pietra Coral Natural R Grip 59,5x119,2 Rect.
- B88 Pietra Coral Natural Sand R Grip 59,5x119,2 Rect.
- B88 Pietra Coral Natural Pearl R Grip 59,5x119,2 Rect.

- B60 Pietra Coral Pearl Matt 59,5x59,5 Rect.
- B60 Pietra Coral Natural Matt 59,5x59,5 Rect.



- B47 Pietra Coral Natural R Matt 120x120 Rect.
- B47 Pietra Coral Natural Sand R Matt 120x120 Rect.
- B47 Pietra Coral Natural Pearl R Matt 120x120 Rect.
- B53 Pietra Coral Natural R Grip 120x120 Rect.
- B53 Pietra Coral Natural Sand R Grip 120x120 Rect.
- B53 Pietra Coral Natural Pearl R Grip 120x120 Rect.

Special pieces | Specialbitar



P31 8x60 / 8x59,5 Skirting romo | Sockelplatta



FOSSIL



PEARL

NATURAL

FOSSIL DECOR

30x90

WHITE BODY • VIT KÄRNA

STONE COLLECTION




30x90

12 Designs

60x60

16 Designs

FORMAT



B59 Pietra Coral Pearl Decor Matt 29,5x90 Rect.
B59 Pietra Coral Natural Decor Matt 29,5x90 Rect.

B69 Pietra Coral Pearl Matt 29,5x90 Rect.
B69 Pietra Coral Natural Matt 29,5x90 Rect.

Matching floor tile | Matchande klinker



B60 Pietra Coral Pearl
Matt 59,5x59,5 Rect.

Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta



PEARL

GREY

MULTICOLOR

QUARTZITE

60x120 60x60 30x60 23x27

PORCELAIN • PORSLIN

STONE COLLECTION




60x120
9 Designs

60x60
18 Designs


30x60 | 23x27
36 Designs

FORMAT



- B85 Mystic White Matt 59,5x119,2 Rect.
- B85 Mystic Pearl Matt 59,5x119,2 Rect.
- B85 Mystic Grey Matt 59,5x119,2 Rect.

- B27 Quartzite Pearl Matt 59,5x59,5 Rect.
- B27 Quartzite Grey Matt 59,5x59,5 Rect.
- B27 Quartzite Multicolor Matt 59,5x59,5 Rect.
- C B52 Quartzite Pearl Grip 59,5x59,5 Rect.
- C B52 Quartzite Grey Grip 59,5x59,5 Rect.
- C B52 Quartzite Multicolor Grip 59,5x59,5 Rect.



- B27 Quartzite Pearl Matt 29,5x59,5 Rect.
- B27 Quartzite Grey Matt 29,5x59,5 Rect.
- B27 Quartzite Multicolor Matt 29,5x59,5 Rect.



- B68 Hexa Quartzite Pearl Matt 23,2x26,7
- B68 Hexa Quartzite Grey Matt 23,2x26,7
- B68 Hexa Quartzite Multicolor Matt 23,2x26,7

Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta





QUARTZITE

GREY

BLACK

SLATE


30x60 60x60 60x120

PORCELAIN • PORSLIN




90x90 | 60x120
8 Designs


FORMAT



B07 GreySlate Matt 59,5x59,5 Rect.
B07 BlackSlate Matt 59,5x59,5 Rect.



B03 GreySlate Matt 30x60
B03 BlackSlate Matt 30x60



B85 GreySlate Matt 59,5x119,2 Rect.
B85 BlackSlate Matt 59,5x119,2 Rect.

Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta
P36 8x90 Skirting romo | Sockelplatta



INSTRUCTIONS & MAINTENANCE

INSTRUKTIONER & UNDERHÅLL

Correct and careful installation of Cementfabrikens Ceramic's products is essential to fully utilize their technical features. (Reference standard: UNE 138002) For this reason, the following guidelines are necessary.

- Verify the size, color, and quality of the product before installation.
- Select appropriate installation tools, including a toothed trowel, a white rubber hammer, a suction grip, and a rubber trowel for grouting.
- Ensure that the surface where the material will be installed is level, clean, and protected from moisture.
- Pay special attention to the choice of adhesive (consult your regular adhesive supplier) as each type of ceramic requires the right adhesive. (Reference standard: EN-1348).
- The professional responsible for installation should choose the appropriate joint width between pieces to ensure proper absorption of structural movements and allowance for product dimensional tolerances. Cementfabriken recommends a minimum joint width between 1.5 mm to 3 mm, depending on thickness and format (always refer to the UNE 138002 standard), and check for additional instructions on the packaging (caliber measurements, recommended joint).
- Avoid using colored grouting materials containing black soot (micronized carbon) or dyes that may hinder the cleaning of the tiled surface.
- Remove excess grouting material from the tile surface while it is still fresh, using a sponge and clean water; never use hard materials that could scratch the tiles, such as metal spatulas or abrasive scourers. Always follow the recommendations provided by the adhesive manufacturer.
- Once the tiles are installed, avoid working in the tiled area (plastering, painting, placing scaffolds/ladders, projecting metallic fragments from disc grinders, moving tools, dragging heavy objects, removing remains of abrasive building materials, etc.). If this cannot be avoided, always protect the tiles and joints to prevent cleaning issues or deterioration. The materials used for protection must not be harmful or contain chemical products that may damage the tiling.

SPECIAL INSTRUCTIONS FOR INSTALLING STEPS:

- Ensure that the substrate is perfectly clean and smooth.
- Start installation from the top and work downwards.
- A thorough preliminary planning by the Project Manager is recommended.
- Apply cement adhesive over the entire area, leaving no areas without adhesive.
- Completely fill the gap between the wall and the lower edge of the step.
- Always position the step riser at the same level as the step.
- It is advisable to protect the step surfaces while working. Avoid direct impacts on the steps both during and after installation.

SPECIAL INSTRUCTIONS FOR INSTALLING RECTANGULAR FORMATS:

When installing rectangular formats discontinuously, avoid placing them in the center of the piece. To maintain the aesthetic appearance and avoid installation difficulties, ensure that the discontinuous layout does not exceed 25% of the side to which it is applied.

DURING THE INSTALLATION PROCESS:

After installing the tiles, it will be necessary to provide adequate protection against possible damage during subsequent construction work. This can be achieved by covering them with cardboard, thick carpet, or plastic.

CLEANING AFTER INSTALLATION:

Residues remaining after completing the work can be easily removed with a commercial detergent or an acid-based one, always considering the chemical resistance indicated by the manufacturer. When using cleaning products, the following general considerations should be taken into account: Acid cleaning should never be carried out on recently installed floor tiles to avoid damaging the joints or leaving insoluble compounds on the surface. It is recommended to pre-soak the surface with clean water before using any chemical agent to prevent the grout from absorbing these agents. Clean the surface with water immediately after the treatment to remove any remnants of chemical products. Use sponges instead of trowels or abrasive scourers. Natural sponges are strongly recommended. Hiring a professional tile installer is highly recommended for optimal performance.

ROUTINE MAINTENANCE:

Daily cleaning of stoneware tiles is particularly simple, it only requires clean water to which an alkaline base cleaner may be added.

Avoid using waxes, oils, or similar products as the non-porous glazed surface may hinder proper application.

In case of stubborn stains, test solvents or specific cleaning agents on a spare tile or in a non-visible area, taking the tile's chemical resistance into account.

IMPORTANT:

Hand-painted ceramic wall tiles or complementary pieces created in the third and fourth firings must be handled with extreme care during both installation and cleaning, as well as during regular routine cleaning. Avoid using pure or diluted acids, corrosive detergents, or other products that may seriously damage their original appearance.*

Korrekt och noggrann installation av Cementfabrikens keramiska produkter är avgörande för att fullt utnyttja deras tekniska egenskaper. (Referensstandard: UNE 138002) Av detta skäl är följande riktlinjer nödvändiga:

- Kontrollera storlek, färg och kvalitet på produkten före installation.
- Välj lämpliga installationsverktyg, inklusive en tandad kelspade, en vit gummiklubba, en sugkopp och en gummispackel för fogning.
- Se till att ytan där materialet ska installeras är plan, ren och skyddad från fukt.
- Lägg särskild vikt vid valet av lim (konsultera din vanliga limleverantör) eftersom varje typ av keramik kräver rätt lim. (Referensstandard: EN-1348).
- Den ansvarige för installationen bör välja lämplig fogbredd mellan plattorna för att säkerställa korrekt absorption av strukturella rörelser och hänsynstagande till produkters dimensionstoleranser. Cementfabriken rekommenderar en minimal fogbredd mellan 1,5 mm till 3 mm, beroende på tjocklek och format (hänvisa alltid till UNE 138002-standardern) och kontrollera eventuella ytterligare anvisningar på förpackningen (kalibermätningar, rekommenderad fog).
- Undvik att använda färgade fogmassor som innehåller svart sot (mikroniserad kol) eller färgämnen som kan försvåra rengöringen av den kaklade ytan.
- Ta bort överskott av fogmaterial från plattans yta medan det fortfarande är färskt, med hjälp av en svamp och rent vatten; använd aldrig hårda material som kan repa plattorna, som metallspatlar eller abrasiva skurborstar. Följ alltid rekommendationerna från limtillverkaren.
- När plattorna är installerade, undvik att arbeta i det kaklade området (putsning, målning, placering av ställningar/stege, projicering av metallfragment från slipmaskiner, flytta verktyg, dra tunga föremål, ta bort rester av slipmaterial, etc.). Om detta inte kan undvikas, skydda alltid plattorna och fogarna för att förhindra rengöringsproblem eller försämring. De material som används för skydd får inte vara skadliga eller innehålla kemiska produkter som kan skada kaklet.

SÄRSKILDA INSTRUKTIONER FÖR INSTALLATION AV TRAPPSTEG:

- Se till att underlaget är perfekt rent och jämnt.
- Börja installationen från toppen och arbeta nedåt.
- En noggrann förberedande planering av projektet rekommenderas.
- Applicera cementlim över hela området, utan att lämna områden utan lim.
- Fyll helt utrymmet mellan väggen och den nedre kanten av trappsteget.
- Placera alltid trappstegsutjämningen på samma nivå som trappsteget.
- Det är lämpligt att skydda trappstegens ytor under arbetet. Undvik direkt påverkan på trappstegen både under och efter installationen.

SÄRSKILDA INSTRUKTIONER FÖR INSTALLATION AV REKTANGULÄRA FORMAT:

Vid installation av rektangulära format diskontinuerligt, undvik att placera dem i mitten av stycket. För att bibehålla det estetiska utseendet och undvika installationsproblem, se till att den diskontinuerliga layouten inte överskrider 25% av sidan som den appliceras på.

UNDER INSTALLATIONSPROCESSEN:

Efter att plattorna har installerats kommer det att vara nödvändigt att ge adekvat skydd mot möjliga skador under efterföljande byggnadsarbete. Detta kan uppnås genom att täcka dem med kartong, tjockt mattmaterial eller plast.

RENGÖRING EFTER INSTALLATION:

Resterna som finns kvar efter avslutat arbete kan enkelt avlägsnas med ett kommersiellt rengöringsmedel eller ett syrabaserat rengöringsmedel, alltid med tanke på den kemiska resistensen som anges av tillverkaren. Vid användning av rengöringsprodukter bör följande generella överväganden beaktas: Syrabaserad rengöring bör aldrig utföras på nyligen installerade golvplattor för att undvika skador på fogarna eller avlagring av olöstiga föreningar på ytan. Det rekommenderas att först blöttlägga ytan med rent vatten innan du använder något kemiskt medel för att förhindra att fogmassorna absorberar dessa medel. Rengör ytan med vatten omedelbart efter behandlingen för att ta bort eventuella rester av kemiska produkter. Använd svampar istället för kelspade eller abrasiva skurborstar. Naturliga svampar rekommenderas starkt. Det är mycket rekommenderat att anlita en professionell plattsättare för att uppnå optimal prestanda.

RUTINMÄSSIG SKÖTSEL:

Daglig rengöring av stengodsplattor är särskilt enkel och kräver endast rent vatten, eventuellt med tillsats av en alkalisk basrengöring. Undvik att använda vaxer, oljor eller liknande produkter eftersom den icke-porösa glaserade ytan kan förhindra en korrekt applicering. Vid envisa fläckar bör du testa lösningsmedel eller specifika rengöringsmedel på en reservplatta eller i ett icke-synligt område med hänsyn till plattans kemiska resistens.

VIKTIGT:

Handmålad keramiska väggplattor eller kompletterande delar som skapats vid tredje och fjärde bränningen måste hanteras med stor försiktighet både under installation och rengöring, liksom under regelbunden rutinmässig rengöring. Undvik att använda rena eller utspädda syror, frätande rengöringsmedel eller andra produkter som kan allvarligt skada deras ursprungliga utseende.

CERTIFICATIONS & SHIPPING

CERTIFIKAT & LEVERANS



CE Marking declares conformity of our products with the technical and legal requirements for safety. CE-märkning deklarerar överensstämmelse av våra produkter med tekniska och rättsliga krav för säkerhet.



CCC Certificate that guarantees that our products meet the standard of radioactivity. CCC-certifikat som garanterar att våra produkter uppfyller standarden för radioaktivitet.



Certificate of content in VOCs which states that our products are exempt and belong to type A+. Certifikat om innehåll av VOC som fastställer att våra produkter är undantagna och tillhör typ A+.



LEED certificate that guarantees compliance with a set of rules on the use of strategies aimed at sustainability in buildings. LEED-certifikat som garanterar överensstämmelse med en uppsättning regler om användning av strategier för hållbarhet i byggnader.



AENOR certification, for implementing and maintaining a Quality Management System for the following scope: design, development, manufacture and marketing ceramic tiles that meet fulfills the requirements of the following standard ISO 9001:2015. Registrer Number: ER-0498/2020. AENOR-certifiering för implementering och upprätthållande av ett kvalitetsledningssystem för följande område: design, utveckling, tillverkning och marknadsföring av keramiska plattor som uppfyller kraven enligt följande standard ISO 9001:2015. Registreringsnummer: ER-0498/2020.



Technical Approval Document - DIT. Tekniskt godkännandedokument - DIT.



The AAI includes all environmental aspects, and other related aspects considered by the competent environmental authorities, in accordance with basic state and corresponding autonomous legislation. AAI inkluderar alla miljöaspekter och andra relaterade aspekter som anses av behöriga miljömyndigheter, i enlighet med grundläggande statlig och motsvarande autonom lagstiftning.



The quality and impartiality of the certification process, and the level of its requirements form the basis of the technical added value of QB certification. Kvaliteten och opartiskheten i certifieringsprocessen och kravnivån utgör grunden för det tekniska mervärdet av QB-certifiering.



NSF certification assures suppliers, retailers, regulators and consumers that an independent organisation has reviewed the manufacturing process and determined that the product meets specific standards of safety, quality, sustainability or performance. NSF-certifiering försäkras leverantörer, återförsäljare, regleringsmyndigheter och konsumenter om att en oberoende organisation har granskat tillverkningsprocessen och fastställt att produkten uppfyller specifika standarder för säkerhet, kvalitet, hållbarhet eller prestanda.

WHITE BODY VIT KÄRNA									
FORMAT	BOXES PAKET			PALLET PALL			EUROPALLET EU-PALL		
	PC ST	M ²	KG	PC ST	M ²	KG	PC ST	M ²	KG
5,2x16	85	0,71	9,01	-	-	-	100	71,2	921
29,5x90	6	1,59	27	54	85,86	1.382,9	-	-	-
29,5x90 Decor	5	1,33	25	60	79,8	1.373,3	-	-	-

PORCELAINÉ PORSLN									
FORMAT	BOXES PAKET			PALLET PALL			EUROPALLET EU-PALL		
	PC ST	M ²	KG	PC ST	M ²	KG	PC ST	M ²	KG
15x15	22	0,495	9	-	-	-	120	59,4	1.220
23,2x26,7	16	0,75	14,5	-	-	-	90	67,5	1.310

PORCELAINÉ PORSLN									
FORMAT	BOXES PAKET			PALLET PALL			EUROPALLET EU-PALL		
	PC ST	M ²	KG	PC ST	M ²	KG	PC ST	M ²	KG
75x150	1	1,13	24	-	-	-	42	47	1.004,92
120x120	1	1,44	39	36	51,84	1.349	-	-	-
90x90	2	1,62	32,5	-	-	-	30	48,6	1.035
60x120	1	0,72	33,9	-	-	-	32	23,04	1.100
59,5x119,2	2	1,42	29	-	-	-	32	45,44	930,16
59,5x59,5	4	1,42	26	-	-	-	36	51,12	921,2
29,5x59,5	7	1,23	25	-	-	-	48	59,04	1.032
18,7x28,7 (Mosaic)	6	0,23	4,32	-	-	-	60	13,7	271,4

WWW.CEMENTFABRIKEN.SE